| Ce   | ε   |   |                  |  |       |       |  |  |  |  |  |
|--|---|---|------------------|--|-------|-------|--|--|--|--|--|
| DECLARATION OF PERFORMANCE<br>No. 01.002 – 305/11/EU – 25/February/2020<br>Opening PVC Doors & Windows |   |   |                  |  |       |       |  |  |  |  |  |
| -  | Unique identification code of the product type:   |   | KÖMMERLING 76 AD |  |       |       |  |  |  |  |  |
|  | Intended use:<br>buildings, Malls   |   |                  | Homes, Office buildings, Store buildings, Industria    |       |       |  |  |  |  |  |
| <b>3.</b> Manu   | Manufacturer:   |   |                  | THERMOPLASTIKI S.A. Amigdaleonas, Kavala<br>P.C. 64012 |       |       |  |  |  |  |  |
| 4. Autho   | rised represer  | itative:  | Not app          | Not applicable   |       |       |  |  |  |  |  |
|  | <ul> <li>AVCP System (evaluation and<br/>confirmation of performance stability):</li> </ul> |   |                  |  |       |       |  |  |  |  |  |
|  | <ol> <li>Harmonised Standard:<br/>Notified laboratory:</li> </ol>                           |   |                  | EN 14351-1:2006<br>ift Rosenheim Nr: 0757              |       |       |  |  |  |  |  |
| 7. Declar  | ed performan  | ce/s:   |                  |  |       | ,     |  |  |  |  |  |
|  | 1   | ТҮРЕ  |                  | 2  | 3     | 4     |  |  |  |  |  |
|  | PRESE   | PRESENTATION<br>Standard / Essential<br>Characteristics |                  |  | Å     | A +   |  |  |  |  |  |
|  |   |   |                  |  |       |       |  |  |  |  |  |
|  | 20  | Wind pressure<br>resistance EN<br>12210                 | C3/B5            | C1/B2  | C5/B5 | C2/B2 |  |  |  |  |  |
|  |   | Waterproofing<br>EN 12208                               | 9A               | 9A   | 9A    | 9A    |  |  |  |  |  |
|  | S.  | Air<br>permeability<br>EN 12207                         | 4                | 4  | 4     | 4     |  |  |  |  |  |
|  | 1   | Resistance to<br>transverse<br>shear stress<br>EN 13115 | 1                | 1  | 1     | 1     |  |  |  |  |  |



| ED | Torsion<br>resistance<br>EN 13115   | npd | npd | npd | npd |
|----|-------------------------------------|-----|-----|-----|-----|
| J. | Resistance to<br>use EN<br>12400    | npd | npd | npd | npd |
| 7  | Impact<br>resistance<br>EN 13049    | npd | npd | npd | npd |
| 1  | Thermal<br>permeability<br>EN 10077 | 1.2 | 1.2 | 1.2 | 1.2 |
|    | Reaction to<br>fire<br>EN 13501-1   | E   | E   | E   | E   |
|    | Hazardous<br>substances             | npd | npd | npd | npd |

8. Appropriate technical documentation and/or specific technical documentation: The technical requirements and the performance of the products are documented in products' Technical Documentation and in the Company's Technical Brochures.

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Despoina Germanidou, Products Certification Manager Amigdaleonas, Kavala, 25/02/2020

CE